

eGo® Plus Windshield Sticker Tag Installation Instructions

Required supplies

- eGo Plus Windshield Sticker Tag
- Commercial glass cleaner and paper towels

General instructions and guidelines

- If you think your vehicle may have a metallized windshield, contact the customer service center.
- You **MUST** correctly and permanently install the tag on the windshield before driving to the toll plaza. Do not attach the tag to your visor or other temporary location.
- Do not wave the tag or hold it on the inside or outside of your vehicle as you approach the toll plaza.

Choose a location for your tag


Determine where you will position the tag. **Figure 1** shows the zone where your tag should be located for optimal performance.

Mirror mounted to windshield

Locate the tag approximately 1" below the rear view mirror mount and center tag on the windshield behind the rear view mirror.

Mirror mounted to header

Measure down approximately 4" from the top edge of the interior windshield and center the tag on the windshield behind the rear view mirror.



TA-0475B

Figure 1 – Tag Location for Optimal Performance

Large truck

If the truck does not have a center bar, the tag should be centered 3" from the bottom of the windshield. If the truck has a center bar, position the tag 2" to the right of the center bar (looking from the inside of the vehicle), and 2" from the bottom of the windshield. (Figure 2).




Figure 2 – Tag Location for Large Trucks

Install your tag

Install the tag when the windshield's temperature is above 50°F (10°C). In colder climates, use your heater/defroster to warm the windshield before installing the tag.

Note: Once the tag is installed, it cannot be repositioned or moved.

1. Clean and dry the area where the tag will be installed with commercial glass cleaner and paper towels.
2. Hold the tag so that the release liner is facing you. Starting at the upper right corner of the tag, peel the release liner to expose the adhesive (Figure 3).



Figure 3 – Location of Release Tab

With the adhesive side facing toward the windshield but not touching the glass, move the tag to the desired location, and then press one edge to the glass.

- Adhere the tag to the glass by rubbing your thumb up and down in a zigzag motion across the entire tag surface (Figure 4).




Figure 4 – Rub Tag to Bond Adhesive to Windshield

- The surface of the tag against the windshield should look fairly smooth (Figure 5).




Figure 5 – Example of a Properly Installed Tag

- The tag is installed and ready for use.

Remove the tag

If you need to remove the tag from your windshield, peel off the tag starting at one corner, then clean any adhesive residue remaining on the windshield using isopropyl alcohol. Discard the used tag.

Note: *Once you remove the tag, you cannot reuse it.*